



Federal Communications Commission

Approved by OMB
3060-0999
See instructions for
public burden estimate.

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: January 1, 2017 - December 31, 2017

Filing Confirmation Number: 0008062606

Filing Deadline: January 16, 2018

FRN: 0003645843

Filing Date: 01/15/2018 05:03 PM

General Report Information

Type of Company

Service Provider

De Minimis Exception

Did you offer any handsets to subscribers in the United States during the reporting period? Yes

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? No

Date that you began offering handsets in the United States 11/17

Are you a small entity? Yes

Were you a small entity at any time during the three years prior to the end of the reporting period?

Date that you ceased to be a small entity?

Company Information

Company Name: VTel Wireless, Inc.

Brand Names: VTel Wireless

PO Box:

Street Address: 354 River St

City: Springfield

State: VT

Zip Code: 05156

Contact Name: Gordon Mathews

Contact Phone: (802) 885-7712

Contact Fax:

Contact Email: gmathews@vermontel.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that were tested under ANSI C63.19-2007, and that are capable of voice

communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007, include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operation?

N/A

Explain:

Do all hearing aid-compatible handsets that were certified only under ANSI C63.19-2007, but that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

N/A

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

N/A

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Service provider websites must include the levels of functionality that the service provider has defined, the level that each hearing aid-compatible model falls under, and an explanation of how the functionality of the handsets varies at the different levels.

Yes

Website address: www.vtelwireless.com

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months:

Methodology for Functionality Levels

N/A

Report Remarks

You have reported the following handset model summary information.

Total number of handsets offered: 1

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent	
GSM	1	100%					1

Handset 1: Samsung Galaxy J3 (2017)

Handset Maker

Samsung

Handset Model Name

Galaxy J3 (2017)

FCC ID

A3LSMJ327T

Air Interfaces/Frequency Bands

700 MHz GSM

Dates

This handset model was offered from: 11/17 to 12/17

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

N/A

Remarks

Certification

This Report has been certified by:

Gordon Mathews Legal & Regulatory Affairs Manager
01/15/2018 05:03 PM